

A633 - CS Cut C18 Nitrile Glove 3/4

Coated Glove

Collection: CS

Range: Hand Protection

Materials: HPPE, Steel Fibre, Glass Fibre, Nylon, Elastane

Dipping:

Inner Pack: 12

: 12

Outer Carton: 144

Product information

The A633 is a high-dexterity cut resistant glove developed from the proven A636 platform, now enhanced with a 3/4 nitrile coating for improved liquid protection across the back of the hand. Designed for precision handling in environments where cut hazards and light liquid exposure are present, the A633 combines comfort, control and extended coverage in one versatile glove. The 18-gauge cut resistant liner provides excellent dexterity and wearer comfort, making the glove ideal for detailed handling tasks where feel and flexibility are essential. The nitrile foam palm coating delivers reliable grip in dry, damp and oily conditions, while the extended 3/4 coating helps protect more of the hand from liquid contact, oil splash and surface contamination without fully compromising breathability. A reinforced thumb crotch improves durability in a key wear area, and touchscreen compatibility allows users to operate most mobile devices without removing their gloves. Ideal for automotive, engineering, metal handling, assembly, utilities, construction and maintenance applications, the A633 is built for workers who need cut protection with added liquid defence.

CS

Introducing the CS™ cut resistant hand protection collection. Packed with features such as touchscreen compatibility, reinforced thumb crotch and reflective labels for improved visibility in low light conditions. The CS™ collection is designed to provide the highest level of cut resistance whilst allowing the wearer to carry out tasks, safely and securely. This collection of eight gloves suit almost every working environment. Including an 18 gauge option for the highest dexterity, a latex coated option for optimal grip and a leather palm option for supreme heat protection. The CS collection ensures maximum safety when needed most.

Hand Protection

A wide and increasing range of hand protection products is available. In order to help cater to every need. Only the best materials and manufacturing methods are used in the production of Portwest's extensive range of Hand Protection products....

Standards

EN ISO 21420: 2020 Dexterity 5
EN 388: 2016 + A1: 2018 (4X43C)
EN 407: 2020 (X1XXXX)
ANSI/ISEA 105: 2016 CUT Level (A3)
ANSI/ISEA 105: 2016 ABRASION Level (6)
ANSI/ISEA 105: 2016 PUNCTURE Level (4)

**NO
IMAGE
AVAILABLE**

Features

- Level C cut resistance
- 18 gauge liner provides excellent comfort, freedom of movement and superb tactile ability
- 3/4 dipped for increased protection
- Nitrile micro foam coating perfect for ultra high dexterity tasks
- Reinforced thumb crotch for extra protection and durability
- The micro foam construction has excellent liquid absorption with reduced breakthrough of the coating maintaining excellent grip with exceptional durability
- Glass fibre combined with HPPE further enhances the cut performance
- Protection against contact heat up to 100°C
- Tested for paint wetting impairment substances (LABS - Conformity)
- This glove can be used with most mobile touchscreen devices
- CE certified

PORTWEST®



A633 - CS Cut C18 Nitrile Glove 3/4 Coated Glove Commodity Code: 6116102091

Test House

Carton Dimensions/Weight

Item	Colour	Len	Wid	Hgt	Weight(Kg)	Cubic(m³)	EAN13	DUN14
A633G8RXS	Grey/Black	48.0	34.0	38.0	0.9990	0.0620	5036108559251	15036109043763
A633G8RS	Grey/Black	48.0	34.0	38.0	0.9990	0.0620	5036108559237	15036109043749
A633G8RM	Grey/Black	48.0	34.0	38.0	0.9990	0.0620	5036108559220	15036109043732
A633G8RL	Grey/Black	48.0	34.0	38.0	0.9990	0.0620	5036108559213	15036109043725
A633G8RXL	Grey/Black	48.0	34.0	38.0	0.9990	0.0620	5036108559244	15036109043756
A633G8RXXL	Grey/Black	48.0	34.0	38.0	0.9990	0.0620	5036108559268	15036109043770